

APPENDIX B

(SIX SHEETS OF FORMAL DRAWINGS)




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

KWC	NRL	NRL CAPA- CITOR	NRL Q	KWC CAP	KWC Q	KWC Q	f_o	TUN- ING	COM- MENTS
SAM- PLE #	SAM- PLE #	(pF)	(0 VDC)	(pF)	(0 VDC)	(40 VDC)	(MHz)	(MHz/ V)	
01	NRL # 1-A	1.012	10.1	0.99	190		1622	~ 1.0	
02	NRL # 1-A	1.012	10.1	0.96	183		1605	~ 1.0	
01	NRL # 3-A	1.004	10.1	0.90	101	123	1610	~ 1.0	
02	NRL # 2-A	0.76	10.2	0.75	200		1900	~ 0.5	
06	NRL # 2-A	0.76	10.2	0.72	205			~0.5	DAMAGED, HIGH V
05	NRL # 2-A	0.76	10.2	0.71	196	200	1912	~ 0.5	

FIG. 7




FIG. 8

5/6




FIG. 9





FIG. 10a



PLANAR REALIZATION OF SINGLE RESONATOR BPF.
CAN BE REALIZED WITHOUT VIA'S USING GROUND PLANES
& A WILTRON TEST FIXTURE.

FIG. 10b